

????

- test.nju.edu.cn
- speed.nju.edu.cn
-
-

??

?????

IPv4: <http://test.nju.edu.cn>

IPv6: <http://test6.nju.edu.cn>

-
- ☐ HTTP ☐ HTTPS
- ☐ IPv6 test6.nju.edu.cn

?????

IPv4: <http://speed.nju.edu.cn>

IPv6: <http://speed6.nju.edu.cn>

- 
-  HTTP  HTTPS
-  IPv6  speed6.nju.edu.cn



??????????

[illegible]

--	--	--	--	--	--	--	--

1. CERNET <http://speedtest.sec.edu.cn/>
2. <http://test.ustc.edu.cn/>

--	--	--	--	--	--	--

1.  <https://www.speedtest.cn/>
2. Speedtest <https://www.speedtest.net/>

APP

- 1.
- 2.

??????????

- p.nju.edu.cn

www.baidu.com

VPN
- www.baidu.com

p.nju.edu.cn

VPN
- VPN

<div> <div></div> <div></div> </div>	<div> <div></div> <div></div> </div>	<div> <div></div> <div></div> </div>
test.nju.edu.cn	<div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> </div>
test6.nju.edu.cn	<div> <div></div> <div></div> <div>IPv6</div> </div>	<div> <div></div> <div></div> <div>IPv6</div> </div>
speed.nju.edu.cn	<div> <div></div> <div>p.nju.edu.cn</div> <div></div> </div>	<div> <div></div> </div>
speed6.nju.edu.cn	<div> <div></div> <div>p.nju.edu.cn</div> <div>IPv6</div> <div></div> <div></div> <div>IPv6</div> </div>	<div> <div></div> </div>

NJU_WLAN

??????????

NJU_WLAN

WiFi

p.nju.edu.cn

QQ

<div> <div></div> </div>	<div> <div></div> </div>
speed.nju.edu.cn	<div> <div></div> </div>



?????

|||||_____|||

??CLI???

||||| <https://github.com/librespeed/speedtest-cli>

||||| [speedtest-cli](#) |||

????

IPv4|||

```
./librespeed-cli --server-json http://speed.nju.edu.cn/cli.json --server 1
```

IPv6|||

```
./librespeed-cli --server-json http://speed6.nju.edu.cn/cli.json --server 2
```

||||| ISP||||| [--telemetry-](#)
level full ||| speed.nju.edu.cn |||

????

XShell ???????"WWWWW"??

||||| Shell ||| XShell |||

Pinging server...
WWW
WWW
WWW
WWW
WWW
WWW
WWW

XShell -VT "Auto Wrap Mode"

