



API



Component \ Version	6.1.8	6.2.12	6.2.12
seatable	6.1.8	6.2.12	6.2.12
python-scheduler	6.1.0	6.2.1	6.2.1
python-starter	6.1.0	6.2.1	6.2.1
python-runner	6.1.0	6.2.1	6.2.2
seatable-api in python-runner	3.0.0	3.1.4	4.0.0

Number

Number

A cell with a value of 12.345

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	12.345	12.345	12.345
Base.query	12.345	12.345	12.345
Base.get_row	12.345	12.345	12.345

Number EUR

A cell with a value of 12.345, in EUR format

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	12.345	12.345	12.345
Base.query	12.345	12.345	12.345
Base.get_row	12.345	12.345	12.345

Number percent

A cell with a value of 0.12345, in percent format

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	0.12345	0.12345	0.12345
Base.query	0.12345	0.12345	0.12345
Base.get_row	0.12345	0.12345	0.12345

Date

Date ISO

A cell with a value of '2026-05-07', in ISO format

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	2026-05-07	2026-05-07T00:00:00+08:00	2026-05-07T00:00:00+08:00
Base.query	2026-05-07	2026-05-07	2026-05-07T00:00:00+08:00
Base.get_row	2026-05-07T00:00:00+08:00	2026-05-07T00:00:00+08:00	2026-05-07T00:00:00+08:00

Date time ISO

A cell with a value of '2026-05-07 11:33', in ISO format

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	2026-05-07 11:33	2026-05-07T11:33:00+08:00	2026-05-07T11:33:00+08:00
Base.query	2026-05-07 11:33:00	2026-05-07 11:33:00	2026-05-07T11:33:00+08:00
Base.get_row	2026-05-07T11:33:00+08:00	2026-05-07T11:33:00+08:00	2026-05-07T11:33:00+08:00

Date EU

A cell with a value of '2026-05-07', in EU format

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	2026-05-07	2026-05-07T00:00:00+08:00	2026-05-07T00:00:00+08:00
Base.query	2026-05-07 00:00:00	2026-05-07 00:00:00	2026-05-07T00:00:00+08:00
Base.get_row	2026-05-07T00:00:00+08:00	2026-05-07T00:00:00+08:00	2026-05-07T00:00:00+08:00

Date time EU

A cell with a value of '2026-05-07 11:33', in EU format

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	2026-05-07 11:33	2026-05-07T11:33:00+08:00	2026-05-07T11:33:00+08:00
Base.query	2026-05-07 11:33:00	2026-05-07 11:33:00	2026-05-07T11:33:00+08:00
Base.get_row	2026-05-07T11:33:00+08:00	2026-05-07T11:33:00+08:00	2026-05-07T11:33:00+08:00

Formula

fx(Number)

A formula cell referencing Number

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	12.345	12.345	12.345
Base.query	12.345	12.345	12.345
Base.get_row	12.345	12.345	12.345

fx(Number EUR)

A formula cell referencing Number EUR

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	€12.34	12.345	12.345
Base.query	12.345	12.345	12.345
Base.get_row	12.345	12.345	12.345

fx(Number percent)

A formula cell referencing Number percent

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	12.345%	0.12345	0.12345
Base.query	0.12345	0.12345	0.12345
Base.get_row	0.12345	0.12345	0.12345

fx(Date ISO)

A formula cell referencing Date ISO

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	2026-05-07	2026-05-07T00:00:00+08:00	2026-05-07T00:00:00+08:00
Base.query	2026-05-07T00:00:00+08:00	2026-05-07T00:00:00+08:00	2026-05-07T00:00:00+08:00
Base.get_row	2026-05-07T00:00:00+08:00	2026-05-07T00:00:00+08:00	2026-05-07T00:00:00+08:00

fx(Date time ISO)

A formula cell referencing Date time ISO

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
---------------	--------------------------	---------------------------	---------------------------

context.current_row	2026-05-07 11:33	2026-05-07T11:33:00+08:00	2026-05-07T11:33:00+08:00
Base.query	2026-05-07T11:33:00+08:00	2026-05-07T11:33:00+08:00	2026-05-07T11:33:00+08:00
Base.get_row	2026-05-07T11:33:00+08:00	2026-05-07T11:33:00+08:00	2026-05-07T11:33:00+08:00

fx(Date EU)

A formula cell referencing Date EU

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	07/05/2026	2026-05-07T00:00:00+08:00	2026-05-07T00:00:00+08:00
Base.query	2026-05-07T00:00:00+08:00	2026-05-07T00:00:00+08:00	2026-05-07T00:00:00+08:00
Base.get_row	2026-05-07T00:00:00+08:00	2026-05-07T00:00:00+08:00	2026-05-07T00:00:00+08:00

fx(Date time EU)

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	07/05/2026 11:33	2026-05-07T11:33:00+08:00	2026-05-07T11:33:00+08:00
Base.query	2026-05-07T11:33:00+08:00	2026-05-07T11:33:00+08:00	2026-05-07T11:33:00+08:00
Base.get_row	2026-05-07T11:33:00+08:00	2026-05-07T11:33:00+08:00	2026-05-07T11:33:00+08:00

Link formula

Lfx(Number)

A lookup cell referencing Number

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
---------------	--------------------------	---------------------------	---------------------------

context.current_row	12,345	[12.345]	[12.345]
Base.query	[12.345]	[12.345]	[12.345]
Base.get_row	[12.345]	[12.345]	[12.345]

Lfx(Number EUR)

A lookup cell referencing Number EUR

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	€12.34	[12.345]	[12.345]
Base.query	[12.345]	[12.345]	[12.345]
Base.get_row	[12.345]	[12.345]	[12.345]

Lfx(Number percent)

A lookup cell referencing Number percent

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	12.345%	[0.12345]	[0.12345]
Base.query	[0.12345]	[0.12345]	[0.12345]
Base.get_row	[0.12345]	[0.12345]	[0.12345]

Lfx(Date ISO)

A lookup cell referencing Date ISO

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	2026-05-07	['2026-05-07T00:00:00+08:00']	['2026-05-07T00:00:00+08:00']
Base.query	['2026-05-07T00:00:00+08:00']	['2026-05-07T00:00:00+08:00']	['2026-05-07T00:00:00+08:00']
Base.get_row	['2026-05-07T00:00:00+08:00']	['2026-05-07T00:00:00+08:00']	['2026-05-07T00:00:00+08:00']

Lfx(Date time ISO)

A lookup cell referencing Date time ISO

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	2026-05-07 11:33	['2026-05-07T11:33:00+08:00']	['2026-05-07T11:33:00+08:00']
Base.query	['2026-05-07T11:33:00+08:00']	['2026-05-07T11:33:00+08:00']	['2026-05-07T11:33:00+08:00']
Base.get_row	['2026-05-07T11:33:00+08:00']	['2026-05-07T11:33:00+08:00']	['2026-05-07T11:33:00+08:00']

Lfx(Date EU)

A lookup cell referencing Date EU

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	07/05/2026	['2026-05-07T00:00:00+08:00']	['2026-05-07T00:00:00+08:00']
Base.query	['2026-05-07T00:00:00+08:00']	['2026-05-07T00:00:00+08:00']	['2026-05-07T00:00:00+08:00']
Base.get_row	['2026-05-07T00:00:00+08:00']	['2026-05-07T00:00:00+08:00']	['2026-05-07T00:00:00+08:00']

Lfx(Date time EU)

A lookup cell referencing Date time EU

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	07/05/2026 11:33	['2026-05-07T11:33:00+08:00']	['2026-05-07T11:33:00+08:00']
Base.query	['2026-05-07T11:33:00+08:00']	['2026-05-07T11:33:00+08:00']	['2026-05-07T11:33:00+08:00']
Base.get_row	['2026-05-07T11:33:00+08:00']	['2026-05-07T11:33:00+08:00']	['2026-05-07T11:33:00+08:00']

Lfx(fx(Number))

A lookup cell referencing fx(Number)

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	12.345	[12.345]	[12.345]
Base.query	[12.345]	[12.345]	[12.345]
Base.get_row	[12.345]	[12.345]	[12.345]

Lfx(fx(Number EUR))

A lookup cell referencing fx(Number EUR)

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	€12.34	[12.345]	[12.345]
Base.query	[12.345]	[12.345]	[12.345]
Base.get_row	[12.345]	[12.345]	[12.345]

Lfx(fx(Number percent))

A lookup cell referencing fx(Number percent)

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	12.345%	[0.12345]	[0.12345]
Base.query	[0.12345]	[0.12345]	[0.12345]
Base.get_row	[0.12345]	[0.12345]	[0.12345]

Lfx(fx(Date ISO))

A lookup cell referencing fx(Date ISO)

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	2026-05-07	['2026-05-07T00:00:00+08:00']	['2026-05-07T00:00:00+08:00']
Base.query	['2026-05-07T00:00:00+08:00']	['2026-05-07T00:00:00+08:00']	['2026-05-07T00:00:00+08:00']
Base.get_row	['2026-05-07T00:00:00+08:00']	['2026-05-07T00:00:00+08:00']	['2026-05-07T00:00:00+08:00']

Lfx(fx(Date time ISO))

A lookup cell referencing fx(Date time ISO)

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	2026-05-07 11:33	['2026-05-07T11:33:00+08:00']	['2026-05-07T11:33:00+08:00']
Base.query	['2026-05-07T11:33:00+08:00']	['2026-05-07T11:33:00+08:00']	['2026-05-07T11:33:00+08:00']
Base.get_row	['2026-05-07T11:33:00+08:00']	['2026-05-07T11:33:00+08:00']	['2026-05-07T11:33:00+08:00']

Lfx(fx(Date EU))

A lookup cell referencing fx(Date EU)

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	07/05/2026	['2026-05-07T00:00:00+08:00']	['2026-05-07T00:00:00+08:00']
Base.query	['2026-05-07T00:00:00+08:00']	['2026-05-07T00:00:00+08:00']	['2026-05-07T00:00:00+08:00']
Base.get_row	['2026-05-07T00:00:00+08:00']	['2026-05-07T00:00:00+08:00']	['2026-05-07T00:00:00+08:00']

Lfx(fx(Date time EU))

A lookup cell referencing fx(Date time EU)

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	07/05/2026 11:33	['2026-05-07T11:33:00+08:00']	['2026-05-07T11:33:00+08:00']
Base.query	['2026-05-07T11:33:00+08:00']	['2026-05-07T11:33:00+08:00']	['2026-05-07T11:33:00+08:00']
Base.get_row	['2026-05-07T11:33:00+08:00']	['2026-05-07T11:33:00+08:00']	['2026-05-07T11:33:00+08:00']

_ctime

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	2026-05-07T03:32:49.827+00:00	2026-05-07T11:32:49.827+08:00	2026-05-07T11:32:49.827+08:00
Base.query	2026-05-07T11:32:49.827+08:00	2026-05-07T11:32:49.827+08:00	2026-05-07T11:32:49.827+08:00
Base.get_row	2026-05-07T11:32:49.827+08:00	2026-05-07T11:32:49.827+08:00	2026-05-07T11:32:49.827+08:00

_mtime

API \ Version	6.1.8 (seatable-api 3.x)	6.2.12 (seatable-api 3.x)	6.2.12 (seatable-api 4.0)
context.current_row	2026-06-30T07:40:54.656+00:00	2026-06-30T15:40:54.656+08:00	2026-06-30T15:40:54.656+08:00
Base.query	2026-06-30T15:40:54.656+08:00	2026-06-30T15:40:54.656+08:00	2026-06-30T15:40:54.656+08:00
Base.get_row	2026-06-30T15:40:54.656+08:00	2026-06-30T15:40:54.656+08:00	2026-06-30T15:40:54.656+08:00

Revision #1
Created 2026-09-02 14:45:43 CST by LadderOperator
Updated 2026-09-02 14:48:03 CST by LadderOperator