

????

????

- 访问 HPC 页面 [\[redacted\]](#) [\[redacted\]](#) oa.nju.edu.cn
ecard.nju.edu.cn [\[redacted\]](#) [\[redacted\]](#)
[\[redacted\]](#)
- [\[redacted\]](#) HPC 页面 [scc.nju.edu.cn](#) [\[redacted\]](#)
- [\[redacted\]](#) “Update Password”
[\[redacted\]](#)

????

1. [\[redacted\]](#) Web [\[redacted\]](#)
2. [\[redacted\]](#) Web [\[redacted\]](#) <https://entry.nju.edu.cn>
3. [\[redacted\]](#)
4. [\[redacted\]](#) [RFC 6238](#) [\[redacted\]](#) [TOTP](#) [\[redacted\]](#) APP [\[redacted\]](#) “[\[redacted\]](#)”
5. [\[redacted\]](#) APP [\[redacted\]](#)
6. [\[redacted\]](#) [\[redacted\]](#)

Web??

1. [\[redacted\]](#) Web [\[redacted\]](#) <https://entry.nju.edu.cn>
2. [\[redacted\]](#)
3. [\[redacted\]](#) APP [\[redacted\]](#)
4. [\[redacted\]](#) ssh/sftp/xfwd/rdp [\[redacted\]](#)
5. [\[redacted\]](#) [\[redacted\]](#) [\[redacted\]](#) Web [\[redacted\]](#) CLI [\[redacted\]](#) Xshell

SSH?????????

1.

Host

entry.nju.edu.cn

Port

22

Username

cm.yaoge123.cn

Port

7022
2.

Host

Username

 - Username:

cm.yaoge123.cn

 /

IP

 IP/

cm.yaoge123.cn

 yaoge

IP

 IP 210.28.130.15
 - Username:

cm.yaoge123.cn

 /

IP

 IP/

cm.yaoge123.cn

 yaoge/210.28.130.15/root

3.

Host

 - Password:

cm.yaoge123.cn

 2nd Password:

cm.yaoge123.cn

 APP

cm.yaoge123.cn
 - Password:

cm.yaoge123.cn

 +

cm.yaoge123.cn

 YaoGe123

cm.yaoge123.cn

 APP

cm.yaoge123.cn

 123456

cm.yaoge123.cn

 YaoGe123 123456

cm.yaoge123.cn

4. SSH

cm.yaoge123.cn

 X11-Forwarding

5. SSH

cm.yaoge123.cn

[Putty](#) [Xshell](#) [Bitvise SSH Client](#) [iTerm2](#) [Termius](#).....
- # SFTP?????????
1.

Host

entry.nju.edu.cn

Port

22

Username

cm.yaoge123.cn

Port

7022

2. Username:

cm.yaoge123.cn

 /

IP

 IP/

cm.yaoge123.cn

 yaoge

IP

 IP 210.28.130.15

cm.yaoge123.cn

 root

cm.yaoge123.cn

 yaoge/210.28.130.15/root
3. Password:

cm.yaoge123.cn

 +

cm.yaoge123.cn

 YaoGe123

cm.yaoge123.cn

 APP

cm.yaoge123.cn

 123456

cm.yaoge123.cn
- YaoGe123 123456
4. SFTP

cm.yaoge123.cn

[Xftp](#)(Windows

cm.yaoge123.cn

) [WinSCP](#) [Bitvise SSH Client](#) [Termius](#)(macOS

cm.yaoge123.cn

)
- [FileZilla](#) [LFTP](#)
- WinSCP

cm.yaoge123.cn

 “

cm.yaoge123.cn

 (Background Transfers)”
 - FileZilla

cm.yaoge123.cn

 “

cm.yaoge123.cn

 (Site)” “

cm.yaoge123.cn

 (Transfer Settings)”
- cm.yaoge123.cn
- “
- cm.yaoge123.cn
- (Limit number of simultaneous connections)”
- cm.yaoge123.cn
- “
- cm.yaoge123.cn
- ”

(Maximum number of connections)" 1

5. SFTP [SFTP Drive](#) [SSHFS](#)

- SFTP Drive "Authentication Type" "Password + OTP"

RDP????

1. entry.nju.edu.cn 3389

cm.yaoge123.cn 7389

2.

3. APP

????

1. TOTP

2. 30 30 ±1 30

30 3

3.

4.

entry.nju.edu.cn

5. " -> -> "

6. /

yaoge@nju.edu.cn

????

1. 5 5

2. Shell PS1 \$ \$+

Revision #70

Created 15 June 2021 14:49:10 by Yao Ge

Updated 21 January 2025 08:48:50 by Yao Ge