



5. [\[Blank\]](#) [\[Blank\]](#) Web[\[Blank\]](#) CLI[\[Blank\]](#) Xshell

## SSH[\[Blank\]](#)

1. [\[Blank\]](#) entry.nju.edu.cn[\[Blank\]](#) 22[\[Blank\]](#)

[\[Blank\]](#) cm.yaoge123.cn[\[Blank\]](#) 7022

2. [\[Blank\]](#)

[\[Blank\]](#)

• Username: [\[Blank\]](#)

• Username: [\[Blank\]](#) /[\[Blank\]](#) IP/[\[Blank\]](#) yaoge[\[Blank\]](#) IP [210.28.130.15](#)

[\[Blank\]](#) root[\[Blank\]](#) yaoge/210.28.130.15/root

3. [\[Blank\]](#)

• Password: [\[Blank\]](#) 2nd Password: [\[Blank\]](#) APP[\[Blank\]](#)

• Password: [\[Blank\]](#) +[\[Blank\]](#) +[\[Blank\]](#) YaoGe123[\[Blank\]](#) APP[\[Blank\]](#) [123456](#)

[\[Blank\]](#) YaoGe123 123456

4. SSH[\[Blank\]](#) X11-Forwarding

5. SSH[\[Blank\]](#) [Putty](#) [Xshell](#) [Bitvise SSH Client](#) [iTerm2](#) [Termius](#).....

## SFTP[\[Blank\]](#)

1. [\[Blank\]](#) entry.nju.edu.cn[\[Blank\]](#) 22[\[Blank\]](#)

[\[Blank\]](#) cm.yaoge123.cn[\[Blank\]](#) 7022

2. Username: [\[Blank\]](#) /[\[Blank\]](#) IP/[\[Blank\]](#) yaoge[\[Blank\]](#) IP [210.28.130.15](#)

[\[Blank\]](#) root[\[Blank\]](#) yaoge/210.28.130.15/root

3. Password: [\[Blank\]](#) +[\[Blank\]](#) +[\[Blank\]](#) YaoGe123[\[Blank\]](#) APP[\[Blank\]](#) [123456](#)

YaoGe123 123456

4. SFTP [\[Blank\]](#) [Xftp](#)(Windows [\[Blank\]](#) ) [WinSCP](#) [Bitvise SSH Client](#) [Termius](#)(macOS [\[Blank\]](#) )

[FileZilla](#) [LFTP](#)

- WinSCP  “ (Background Transfers)”
- FileZilla  “ (Site)”  “ (Transfer Settings)”  
 “ (Limit number of simultaneous connections)”  “ (Maximum number of connections)”  1

5. SFTP  [SFTP Drive](#)  [SSHFS](#)

- SFTP Drive  “Authentication Type”  “Password + OTP”

## RDP

1.  entry.nju.edu.cn  3389   
 cm.yaoge123.cn  7389
2.
3.  APP

## 

1. TOTP

2.  30  30  ±1  30  
 30  3

3.

4.

entry.nju.edu.cn

5.  “ ->  ->  ”

6.  /

yaoge@nju.edu.cn

##

1.  5

2. Shell PS1 \$  \$+

---

Revision #71

Created 2021-06-15 14:49:10 CST by Yao Ge

Updated 2025-09-27 10:38:19 CST by Yao Ge