

Maven

[illegible]

maven 



□□□□□□□□□□□□□□□□ maven □□□□□□□□□□□□□□□□

- linux [] [] [] [] [] [] [] [] [] []:

```
mkdir ~/.m2
vim ~/.m2/settings.xml
```

- windows ☐ powershell (☐pwsh☐) ☐☐☐☐☐

```
mkdir ~/.m2
cd ~/.m2
notepad settings.xml
```



```
<?xml version="1.0" encoding="UTF-8"?>

<settings xmlns="http://maven.apache.org/SETTINGS/1.0.0"
          xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
          xsi:schemaLocation="http://maven.apache.org/SETTINGS/1.0.0 http://maven.apache.org/xsd/settings-
1.0.0.xsd">

  <mirrors>

    <mirror>

      <id>nju_mirror</id>

      <mirrorOf>*</mirrorOf>
```

```
<url>https://repo.nju.edu.cn/maven/</url>
</mirror>
</mirrors>
</settings>
```

`<mirrors>` (`<mirrorOf>`)

```
<mirror>
  <id>nju_mirror</id>
  <mirrorOf>*</mirrorOf>
  <url>https://repo.nju.edu.cn/maven/</url>
</mirror>
```

`<pom.xml>`

```
<project>
  .....
  <repositories>
    <repository>
      <id>nju</id>
      <url>https://repo.nju.edu.cn/maven/</url>
      <releases>
        <enabled>true</enabled>
      </releases>
      <snapshots>
        <enabled>>false</enabled>
      </snapshots>
    </repository>
  </repositories>
</project>
```

gradle-plugin

```
##### gradle\wrapper\gradle-wrapper.properties [ distributionUrl [ http://mirror.nju.edu.cn/gradle/gradle-  
[version].zip #####
```

```
####
```

```
##### gradle #####:
```

- linux #####:

```
mkdir ~/.gradle  
vim ~/.gradle/init.gradle
```

- windows [] powershell ([]pwsh[]) []:

```
mkdir ~/.gradle  
cd ~/.gradle  
notepad init.gradle
```

```
#####:
```

```
allprojects {  
    buildscript {  
        repositories {  
            def NJU_REPOSITORY_URL = 'https://repo.nju.edu.cn/maven/'  
            all { ArtifactRepository repo ->  
                if (repo instanceof MavenArtifactRepository) {  
                    def url = repo.url.toString()  
                    if (url.startsWith('https://repo1.maven.org/maven2/')) {  
                        project.logger.lifecycle "Repository ${repo.url} replaced by $NJU_REPOSITORY_URL."  
                        remove repo  
                    }  
                    if (url.startsWith('https://jcenter.bintray.com/')) {  
                        project.logger.lifecycle "Repository ${repo.url} deleted."  
                        remove repo  
                    }  
                    if (url.startsWith('https://dl.google.com/dl/android/maven2/')) {  
                        project.logger.lifecycle "Repository ${repo.url} deleted."  
                        remove repo  
                    }  
                }  
            }  
        }  
    }  
}
```

```

    }
    if (url.contains('plugins.gradle.org/m2')) {
        project.logger.lifecycle "Repository ${repo.url} deleted."
        remove repo
    }
}
}
maven { url NJU_REPOSITORY_URL }
mavenLocal()
}
}

```

```

repositories {
    def NJU_REPOSITORY_URL = 'https://repo.nju.edu.cn/maven/'
    all { ArtifactRepository repo ->
        if (repo instanceof MavenArtifactRepository) {
            def url = repo.url.toString()
            if (url.startsWith('https://repo1.maven.org/maven2')) {
                project.logger.lifecycle "Repository ${repo.url} replaced by $NJU_REPOSITORY_URL."
                remove repo
            }
            if (url.startsWith('https://jcenter.bintray.com/')) {
                project.logger.lifecycle "Repository ${repo.url} deleted."
                remove repo
            }
            if (url.startsWith('https://dl.google.com/dl/android/maven2/')) {
                project.logger.lifecycle "Repository ${repo.url} deleted."
                remove repo
            }
            if (url.contains('plugins.gradle.org/m2')) {
                project.logger.lifecycle "Repository ${repo.url} deleted."
                remove repo
            }
        }
    }
}
maven { url NJU_REPOSITORY_URL }
mavenLocal()
}
}

```

