



p.nju.edu.cn



p.nju.edu.cn



```
curl -X POST https://p.nju.edu.cn/api/portal/v1/login -H "Content-type: application/json" -d
'{"username":"<username>","password":"<password>"}'
curl -X POST https://p.nju.edu.cn/api/portal/v1/logout -H "Content-type: application/json" -d
'{'}
```

```
curl -s "http://p2.nju.edu.cn/portal_io/login?username=<username>&password=<password>"
curl -s http://p2.nju.edu.cn/portal_io/logout
```

\*\*

\*\*

conda

pip



• mirror.nju.edu.cn conda pip

• [https://p2.nju.edu.cn/portal\\_io/login?username=<username>&password=<password>](#) git





# CPU

1.  CPU

MATLAB/Python  Python

OMP\_NUM\_THREADS

NUMEXPR\_NUM\_THREADS   OPENBLAS\_NUM\_THREADS   MKL\_NUM\_THREADS

```
export OMP_NUM_THREADS=$LSB_DJOB_NUMPROC
export NUMEXPR_NUM_THREADS=$LSB_DJOB_NUMPROC
export OPENBLAS_NUM_THREADS=$LSB_DJOB_NUMPROC
export MKL_NUM_THREADS=$LSB_DJOB_NUMPROC
```

2.  CPU

```
#BSUB -R affinity[core:cpubind=core:membind=localprefer:distribute=pack]
```

3.   #BSUB -x



MAX(1000,MIN((30000- )/10,(20000- )/6))



# UNKWN

UNKWN

1.

2.



\$HOME

/bbfs

\$HOME

```
[yaoge123@login1 ~]$ ln -s /bbfs$HOME cache
[yaoge123@login1 ~]$ ln -s /bbfs/scratch/$USER scratch
[yaoge123@login1 ~]$ ls -l|grep bbfs
lrwxrwxrwx 1 yaoge123 yaoge 26 Mar 16 11:45 cache -> /bbfs/fsb/home/yaoge/yaoge123
lrwxrwxrwx 1 yaoge123 yaoge 20 Mar 16 11:45 scratch -> /bbfs/scratch/yaoge123
```

---

Revision #55

Created 2021-05-09 23:40:10 CST by Yao Ge

Updated 2025-09-02 17:57:40 CST by Yao Ge