



□□□□□□p.nju.edu.cn□□□□

```
curl -X POST https://p.nju.edu.cn/api/portal/v1/login -H "Content-type: application/json" -d
'{"username":"<username>","password":"<password>"}'
curl -X POST https://p.nju.edu.cn/api/portal/v1/logout -H "Content-type: application/json" -d '{}'
```

```
curl -s "http://p2.nju.edu.cn/portal_io/login?username=<username>&password=<password>"
curl -s http://p2.nju.edu.cn/portal_io/logout
```



<https://table.nju.edu.cn/dtable/view-external-links/custom/hpc-internet/>

SSH/SFTP□□□□ no matching host key type founc

SSH/SFTP no matching host key type found. Their offer: ssh-rsa,ssh-dss -o HostKeyAlgorithms=+ssh-rsa □□

~/.ssh/config HostKeyAlgorithms +ssh-rsa



pip

Python root pip install -t

```
cd scikit-opt-master
pip install -t $HOME .
```

~/.bashrc

```
export PYTHONPATH=$HOME:$PYTHONPATH
```



CPU

CPU

PythonOMP_NUM_THREADSMKL_NUM_THREADSOPENBLAS_NUM_THREADS

#BSUB -x CPU

```
#BSUB -R affinity[core:cpubind=core:membind=localprefer:distribute=pack]
```


MAX(1000,MIN((30000-)/10,(20000-)/6))

UNKWN

XXXXXXXXXXXXXXXXXXXXUNKWNXXXXXXXXXXXXXXXXXXXX

- 1. XX
- 2. XX

Revision #46
Created 9 May 2021 23:40:10 by Yao Ge
Updated 29 November 2023 12:07:52 by Yao Ge