



- [GNU](#)
- [Intel](#)
- [NVIDIA](#)
- [AMD](#)
- [Python](#)
- [Golang](#)
- [Open MPI](#)
- [Tcl/Tk](#)
- [_____](#)
- [VASP6 GPU _____](#)
- [Quantum Espresso](#)
- [NAMD](#)
- [OOMMF](#)
- [Mumax3](#)
- [_____](#)
- [Singularity Image](#)
- [gnuplot](#)
- [OVITO](#)
- [Vim](#)
- [Zsh](#)
- [AlphaFold 2](#)
- [AlphaFold 3](#)
- [RoseTTAFold](#)
- [ParallelFold 2](#)

GNU

GNU Compiler Collection

Name	Path	Module
GNU Compiler Collection (GCC) 12.1.0 & GNU Binutils 2.38	/fs00/software/gcc/12.1.0	gcc/12.1.0
GNU Compiler Collection (GCC) 11.3.0 & GNU Binutils 2.36.1	/fs00/software/gcc/11.3.0	gcc/11.3.0
GNU Compiler Collection (GCC) 10.5.0 & GNU Binutils 2.34	/fs00/software/gcc/10.5.0	gcc/10.5.0
GNU Compiler Collection (GCC) 9.5.0 & GNU Binutils 2.32	/fs00/software/gcc/9.5.0	gcc/9.5.0
GNU Compiler Collection (GCC) 8.5.0 & GNU Binutils 2.30	/fs00/software/gcc/8.5.0	gcc/8.5.0
GNU Compiler Collection (GCC) 7.5.0 & GNU Binutils 2.28.1	/fs00/software/gcc/7.5.0	gcc/7.5.0
GNU Compiler Collection (GCC) 6.5.0 & GNU Binutils 2.26.1	/fs00/software/gcc/6.5.0	gcc/6.5.0
GNU Compiler Collection (GCC) 5.4.0	/fs00/software/gcc/5.4.0	gcc/5.4.0

GNU Make

Name	Path	Module
GNU Make 4.3	/fs00/software/make/4.3	make/4.3
GNU Make 4.2.1	/fs00/software/make/4.2.1	make/4.2.1
GNU Make 4.2	/fs00/software/make/4.2	make/4.2

GNU Scientific Library

Name	Compiler	Path	Module
GNU Scientific Library (GSL) 2.7.1	GCC 12.1.0	/fs00/software/gsl/2.7.1-gcc12.1.0	gsl/2.7.1-gcc12.1.0

Name	Compiler	Path	Module
GNU Scientific Library (GSL) 2.5	GCC 8.3.0	/fs00/software/gsl/2.5-gcc8.3	gsl/2.5-gcc8.3

GNU C Library

Name	Compiler	Path	Module
GNU C Library (glibc) 2.36	GCC 12.1.0	/fs00/software/glibc/2.36-gcc12.1.0	glibc/2.36-gcc12.1.0
GNU C Library (glibc) 2.30	GCC 9.2.0	/fs00/software/glibc/2.30-gcc9.2.0	glibc/2.30-gcc9.2.0

GNU Binutils

Name	Compiler	Path	Module
GNU Binutils 2.38	GCC 12.1.0	/fs00/software/binutils/2.38-gcc12.1.0	binutils/2.38-gcc12.1.0
GNU Binutils 2.27	GCC 5.4.0	/fs00/software/binutils/2.27-gcc5.4.0	binutils/2.27-gcc5.4.0

Intel

Intel oneAPI

Name	Path	MODULEPATH
Intel oneAPI Base Toolkit 2024.0.1 Intel HPC Toolkit 2024.0.1	/fs00/software/intel/oneapi2024.0	/fs00/software/modulefiles/oneapi/2024.0

Intel Parallel Studio

Name	Path	Module
Intel Parallel Studio XE 2020 Update 2 Cluster Edition	/fs00/software/intel/ps2020u2	ips/2020u2
Intel Parallel Studio XE 2019 Update 5 Cluster Edition	/fs00/software/intel/ps2019u5	ips/2019u5
Intel Parallel Studio XE 2018 Update 4 Cluster Edition	/fs00/software/intel/ps2018u4	ips/2018u4
Intel Parallel Studio XE 2017 Update 6 Cluster Edition	/fs00/software/intel/ps2017u6	ips/2017u6
Intel Parallel Studio XE 2017 Update 2 Cluster Edition	/fs00/software/intel/ps2017u2	ips/2017u2
Intel Parallel Studio XE 2016 Update 4 Cluster Edition	/fs00/software/intel/ps2016u4	ips/2016u4
Intel Parallel Studio XE 2015 Update 6 Cluster Edition	/fs00/software/intel/ps2015u6	ips/2015u6
Intel Cluster Studio XE 2013 Service Pack 1 (SP1) Update 1	/fs00/software/intel/cs2013sp1u1	ics/2013sp1u1
Intel Cluster Studio XE 2013	/fs00/software/intel/cs2013	ics/2013
Intel Parallel Studio XE 2011 SP1 Update 3	/fs00/software/intel/ps2011sp1u3	ips/2011sp1u3

Intel Distribution for Python

Name	Path
Intel Distribution for Python 2.7 2019 Update 5	/fs00/software/intel/ps2019u5/intelpython2

Name	Path
Intel Distribution for Python 3.6 2019 Update 5	/fs00/software/intel/ps2019u5/intelpython3
Intel Distribution for Python 2.7 2018 Update 3	/fs00/software/intel/python2018u3/intelpython2
Intel Distribution for Python 3.6 2018 Update 3	/fs00/software/intel/python2018u3/intelpython3
Intel Distribution for Python 2.7 2017 Update 3	/fs00/software/intel/python2017u3/intelpython2
Intel Distribution for Python 3.5 2017 Update 3	/fs00/software/intel/python2017u3/intelpython3

NVIDIA

CUDA Toolkit

Name	Path	Module
CUDA Toolkit 12.3.1	/fs00/software/cuda/12.3.1	cuda/12.3.1
CUDA Toolkit 12.0.0	/fs00/software/cuda/12.0.0	cuda/12.0.0
CUDA Toolkit 11.8.0	/fs00/software/cuda/11.8.0	cuda/11.8.0
CUDA Toolkit 11.2.0	/fs00/software/cuda/11.2.0	cuda/11.2.0
CUDA Toolkit 10.2.89	/fs00/software/cuda/10.2.89	cuda/10.2.89
CUDA Toolkit 10.1.243	/fs00/software/cuda/10.1.243	cuda/10.1.243
CUDA Toolkit 10.0.130	/fs00/software/cuda/10.0.130	cuda/10.0.130
CUDA Toolkit 9.2.148	/fs00/software/cuda/9.2.148	cuda/9.2.148
CUDA Toolkit 9.0.176 with Patch 3	/fs00/software/cuda/9.0.176	cuda/9.0.176
CUDA Toolkit 8.0 GA2 8.0.61 with Patch 2	/fs00/software/cuda/8.0.61	cuda/8.0.61

cuDNN

Name	CUDA	Path	Module
cuDNN v8.9.7.29	12.x	/fs00/software/cudnn/8.9.7.29-cuda12	cudnn/8.9.7.29-cuda12
cuDNN v8.9.7.29	11.x	/fs00/software/cudnn/8.9.7.29-cuda11	cudnn/8.9.7.29-cuda11
cuDNN v8.7.0.84	11.x	/fs00/software/cudnn/8.7.0.84-cuda11	cudnn/8.7.0.84-cuda11
cuDNN v8.7.0.84	10.2	/fs00/software/cudnn/8.7.0.84-cuda10	cudnn/8.7.0.84-cuda10
cuDNN v8.1.1.33	11.2	/fs00/software/cudnn/11.2-v8.1.1.33	cudnn/11.2-v8.1.1.33
cuDNN v8.2.2.26	10.2	/fs00/software/cudnn/10.2-v8.2.2.26	cudnn/10.2-v8.2.2.26

Name	CUDA	Path	Module
cuDNN v7.6.5.32	10.2	/fs00/software/cudnn/10.2-v7.6.5.32	cudnn/10.2-v7.6.5.32
cuDNN v7.6.4.38	10.1	/fs00/software/cudnn/10.1-v7.6.4.38	cudnn/10.1-v7.6.4.38
cuDNN v7.6.5.32	10.0	/fs00/software/cudnn/10.0-v7.6.5.32	cudnn/10.0-v7.6.5.32
cuDNN v7.1.4	9.2	/fs00/software/cudnn/9.2-v7.1.4	cudnn/9.2-v7.1.4
cuDNN v7.1.4	9.0	/fs00/software/cudnn/9.0-v7.1.4	cudnn/9.0-v7.1.4
cuDNN v7.0.5	8.0	/fs00/software/cudnn/8.0-v7.0.5	cudnn/8.0-v7.0.5
cuDNN v6.0	8.0	/fs00/software/cudnn/8.0-v6.0	cudnn/8.0-v6.0
cuDNN v5.1	8.0	/fs00/software/cudnn/8.0-v5.1	cudnn/8.0-v5.1

HPC SDK

Name	Path	MODULEPATH
HPC SDK 23.11	/fs00/software/nvhpc/23.11	/fs00/software/nvhpc/23.11/modulefiles
HPC SDK 22.11	/fs00/software/nvhpc/22.11	/fs00/software/nvhpc/22.11/modulefiles
HPC SDK 21.3	/fs00/software/nvhpc/21.3	/fs00/software/nvhpc/21.3/modulefiles
HPC SDK 20.9	/fs00/software/nvhpc/20.9	/fs00/software/nvhpc/20.9/modulefiles

HPC-X

Name	CUDA	Path	MODULEPATH
HPC-X 2.17.1	12.x	/fs00/software/hpcx/2.17.1-cuda12	/fs00/software/hpcx/2.17.1-cuda12/modulefiles

NCCL

Name	CUDA	Path	Module
------	------	------	--------

NCCL 2.19.3	12.3	/fs00/software/nccl/2.19.3-cuda12.3	nccl/2.19.3-cuda12.3
NCCL 2.16.2	12.0	/fs00/software/nccl/2.16.2-cuda12.0	nccl/2.16.2-cuda12.0
NCCL 2.16.2	11.8	/fs00/software/nccl/2.16.2-cuda11.8	nccl/2.16.2-cuda11.8
NCCL 2.16.2	11.0	/fs00/software/nccl/2.16.2-cuda11.0	nccl/2.16.2-cuda11.0
NCCL v2.5.6	10.2	/fs00/software/nccl/10.2-v2.5.6	nccl/10.2-v2.5.6
NCCL v2.4.8	10.1	/fs00/software/nccl/10.1-v2.4.8	nccl/10.1-v2.4.8

TensorRT

Name	CUDA	cuDNN	Path	Module
TensorRT 8.6.1.6	12.0		/fs00/software/tensorrt/8.6.1.6-cuda12.0	tensorrt/8.6.1.6-cuda12.0
TensorRT 8.6.1.6	11.8		/fs00/software/tensorrt/8.6.1.6-cuda11.8	tensorrt/8.6.1.6-cuda11.8
TensorRT 8.5.2.2	11.8	8.6	/fs00/software/tensorrt/8.5.2.2-cuda11.8-cudnn8.6	tensorrt/8.5.2.2-cuda11.8-cudnn8.6
TensorRT 8.5.2.2	10.2	8.6	/fs00/software/tensorrt/8.5.2.2-cuda10.2-cudnn8.6	tensorrt/8.5.2.2-cuda10.2-cudnn8.6
TensorRT 8.2.0.6	11.4	8.2	/fs00/software/tensorrt/8.2.0.6-cuda11.4-cudnn8.2	tensorrt/8.2.0.6-cuda11.4-cudnn8.2
TensorRT 8.2.0.6	10.2	8.2	/fs00/software/tensorrt/8.2.0.6-cuda11.4-cudnn8.2	tensorrt/8.2.0.6-cuda10.2-cudnn8.2

AMD

AMD Optimizing C/C++ Compiler

Name	Path	Module
AMD Optimizing C/C++ Compiler 2.3.0 (AOCC)	/fs00/software/aocc/2.3.0	aocc/2.3.0
AMD Optimizing C/C++ Compiler 2.1.0 (AOCC)	/fs00/software/aocc/2.1.0	aocc/2.1.0
AMD Optimizing C/C++ Compiler 2.0.0 (AOCC)	/fs00/software/aocc/2.0.0	aocc/2.0.0

AMD Optimizing CPU Libraries

Name	Path	Module
AMD Optimizing CPU Libraries 2.2 (AOCL)	/fs00/software/aocl/2.2	aocl/2.2
AMD Optimizing CPU Libraries 2.0 (AOCL)	/fs00/software/aocl/2.0	aocl/2.0

Python

■■■■■■■

License■■■■■■■■■

Anaconda

Name	Path	Module
Anaconda 3 (Python3) Latest	/fs00/software/anaconda/3	anaconda/3
Anaconda 2 (Python2) Latest	/fs00/software/anaconda/2	anaconda/2
Anaconda 5.0.1 (Python 3.6)	/fs00/software/anaconda/3-5.0.1	anaconda/3-5.0.1
Anaconda 5.0.1 (Python 2.7)	/fs00/software/anaconda/2-5.0.1	anaconda/2-5.0.1
Anaconda 3.4.1 (Python 3.6)	/fs00/software/anaconda/3-3.4.1	anaconda/3-3.4.1
Anaconda 3.4.1 (Python 2.7)	/fs00/software/anaconda/2-3.4.1	anaconda/2-3.4.1

Golang

Golang

Name	Path	Module
Golang 1.21.6	/fs00/software/golang/1.21.6	golang/1.21.6
Golang 1.19.5	/fs00/software/golang/1.19.5	golang/1.19.5
Golang 1.18.10	/fs00/software/golang/1.18.7	golang/1.18.10
Golang 1.17.13	/fs00/software/golang/1.17.13	golang/1.17.13
Golang 1.16.15	/fs00/software/golang/1.16.15	golang/1.16.15
Golang 1.15.15	/fs00/software/golang/1.15.15	golang/1.15.15

Open MPI

Open MPI

Name	Compiler	Path	Module
Open MPI 4.1.2	GNU Compiler Collection (GCC) 11.2.0	/fs00/software/openmpi/4.1.2-gcc11.2.0	openmpi/4.1.2-gcc11.2.0
Open MPI 3.1.2	GNU Compiler Collection (GCC) 8.2.0	/fs00/software/openmpi/3.1.2-gcc8.2.0	openmpi/3.1.2-gcc8.2.0
Open MPI 1.10.0	Intel C++ Compiler XE 15.0 Update 3 & Fortran Compiler XE 15.0 Update 3	/fs00/software/openmpi/1.10.0-iccifort-15.0.3	openmpi/1.10.0-iccifort-15.0.3
Open MPI 1.10.0	GNU Compiler Collection (GCC) 5.2.0	/fs00/software/openmpi/1.10.0-gcc-5.2.0	openmpi/1.10.0-gcc-5.2.0
Open MPI 1.10.5	GNU Compiler Collection (GCC) 5.4.0	/fs00/software/openmpi/1.10.5-gcc5.4.0	openmpi/1.10.5-gcc5.4.0

Tcl/TK

Tcl/Tk

Name	Compiler	Path	Module
Tcl/Tk 8.6.12	GNU Compiler Collection (GCC) 11.2.0	/fs00/software/tcl/8.6.12-gcc11.2.0	tcl/8.6.12-gcc11.2.0
Tcl/Tk 8.6.6	Intel Parallel Studio XE 2017 Update 2	/fs00/software/tcl/8.6.6-ips2017u2	tcl/8.6.6-ips2017u2
Tcl/Tk 8.6.4		/fs00/software/tcl/8.6.4	tcl/8.6.4
Tcl/Tk 8.6.4	Intel Parallel Studio XE 2016 Update 2	/fs00/software/tcl/8.6.4-ips2016u2	tcl/8.6.4-ips2016u2
Tcl/Tk 8.6.4	Intel Parallel Studio XE 2016 Update 2	/fs00/software/tcl/8.6.4-ips2016u2-avx2	tcl/8.6.4-ips2016u2-avx2



License

FFTW 3.3.7

/fs00/software/fftw/3.3.7-iccifort-17.0.6-*  iccifort/17.0.6

FFTW 3.3.8

/fs00/software/fftw/3.3.8-ips2019u5  ips/2019u5

LAMMPS 11Aug17

/fs00/software/lammps/11Aug17

OpenFOAM® v1806

/fs00/software/openfoam/v1806-ips2017u6

source /fs00/software/openfoam/v1806-ips2017u6/OpenFOAM-v1806/etc/bashrc

P4vasp 0.3.29

/fs00/software/p4vasp/0.3.29

Modulefile: p4vasp/0.3.29

Phonopy 1.11.2

/fs00/software/phonopy/1.11.2

Quantum ESPRESSO 5.2.0 & 6.1


/fs00/software/qe/5.2.0-ips2015u3/  ips/2015u3

/fs00/software/qe/6.1-ips2017u2/  ips/2017u2

ShengBTE

/fs00/software/shengbte  iccifort/15.0.3 openmpi/1.10.0-iccifort-15.0.3

Siesta 3.2-pl-5

/fs00/software/siesta/3.2-pl-5  ips/2017u6

thirdorder 1.0.2 04d3f46feb78

/fs00/software/thirdorder/1.0.2

Modulefile: thirdorder/1.0.2  anaconda/2-4.3.1 spglib/1.9.9

TBPLaS

/fs00/software/tbplas

MKL+MPI Version

Modulefile:

- oneapi/2024.0/compiler/2024.0.2
- oneapi/2024.0/fort/2024.0.2
- oneapi/2024.0/mkl/2024.0
- oneapi/2024.0/mpi/2021.11

VASP6 GPU

VASP6 GPU N

()

vasp vasp gpu openacc cuda
vasp6.2 openacc

https://www.vasp.at/wiki/index.php/OpenACC_GPU_port_of_VASP

Openacc gpu Vasp6 NVIDIA HPC-SDK PGI's Compilers & Tools (version
>=19.10) vasp NVIDIA HPC-SDK **20.9**
vasp bug

NVIDIA HPC-SDK 20.9

<https://developer.nvidia.com/nvidia-hpc-sdk-209-downloads>

wget tarball
nvidia-smi cuda
version >=10.0

HPC-SDK 20.9 /usr/software/nv-hpcsdk

```
export NVARCH=`uname -s`_`uname -m`;  
export NVCOMPILERS=/usr/software/nv-hpcsdk #  
export PATH=$NVCOMPILERS/$NVARCH/20.9/compilers/bin:$PATH  
export MANPATH=$MANPATH:$NVCOMPILERS/$NVARCH/20.9/compilers/man  
export LD_LIBRARY_PATH=$NVCOMPILERS/$NVARCH/20.9/compilers/lib/:$LD_LIBRARY_PATH  
export PATH=$NVCOMPILERS/$NVARCH/20.9/comm_libs/mpi/bin/:$PATH
```


gpu vasp6#####
intel##### mpirun#####

bashrc#####

bashrc



NVIDIA HPC-SDK 20.9#####
NCCL, ## FFTW, ##### HPC-SDK#####

CUDA Toolkit, QD,

FFTW##### nvhpc-sdk#####
GNU## intel

hpc-sdk#####

/fs00/software/fftw/3.3.8-ips2019u5



vasp6.2####

```
cp arch/makefile.include.linux_nv_acc makefile.include`
```

####

```
which nvfortran | awk -F /compilers/bin/nvfortran '{ print $$1 }`
```

nvfortran## nv-hpc-sdk#####

vasp##### **openacc+openmp**####

makefile.include.linux_nv_acc+omp+mkl## **nccl**## **openacc**

openmp

#####

openmp

#####

makefile.include.linux_nv_acc

#####

makefile.include#####

makefile.include#####

#Precompiler options

```
CPP_OPTIONS= -DHOST=\"LinuxPGI\" \  
-DMPI -DMPI_BLOCK=8000 -DMPI_INPLACE -Duse_collective \  
-DscalAPACK \
```

```
-DCACHE_SIZE=4000 \  
-Davoidalloc \  
-Dvasp6 \  
-Duse_bse_te \  
-Dtbdyn \  
-Dqd_emulate \  
-Dfock_dblbuf \  
-D_OPENACC \  
-DUSENCCL -DUSENCCLP2P
```

```
CPP      = nvfortran -Mpreprocess -Mfree -Mextend -E $(CPP_OPTIONS) *$(FUUFFIX) > *$(SUFFIX)
```

```
FC        = mpif90 -acc -gpu=cc60,cc70,cc80,cuda11.0
```

```
FCL       = mpif90 -acc -gpu=cc60,cc70,cc80,cuda11.0 -c++libs
```

```
FREE      = -Mfree
```

```
FFLAGS    = -Mbackslash -Mlarge_arrays
```

```
OFLAG     = -fast
```

```
DEBUG     = -Mfree -O0 -traceback
```

```
#Specify your NV HPC-SDK installation, try to set NVROOT automatically
```

```
NVROOT    =$(shell which nvfortran | awk -F /compilers/bin/nvfortran '{ print $$1 }')
```

```
#or set NVROOT manually
```

```
#NVHPC     ?= /opt/nvidia/hpc_sdk
```

```
#NVVERSION = 20.9
```

```
#NVROOT    = $(NVHPC)/Linux_x86_64/$(NVVERSION)
```

```
#Use NV HPC-SDK provided BLAS and LAPACK libraries
```

```
BLAS      = -lblas
```

```
LAPACK    = -llapack
```

```
BLACS     =
```

```
SCALAPACK = -Mscalapack
```

```
CUDA      = -cudalib=cublas,cusolver,cufft,nccl -cuda
```

```
LLIBS     = $(SCALAPACK) $(LAPACK) $(BLAS) $(CUDA)
```

```

#Software emulation of quadruple precision
QD      = $(NVROOT)/compilers/extras/qd      #[]
LLIBS    += -L$(QD)/lib -lqdm -lqd
INCS     += -I$(QD)/include/qd

#Use the FFTs from fftw
FFTW     = /fs00/software/fftw/3.3.8-ips2019u5      #[] fftw[]
LLIBS    += -L$(FFTW)/lib -lfftw3
INCS     += -I$(FFTW)/include

OBJECTS   = fftmpi.o fftmpi_map.o fftw3d.o fft3dlib.o

#Redefine the standard list of O1 and O2 objects
SOURCE_O1 := pade_fit.o
SOURCE_O2 := pead.o

#For what used to be vasp.5.lib
CPP_LIB   = $(CPP)
FC_LIB    = nvfortran
CC_LIB    = nvc
CFLAGS_LIB = -O
FFLAGS_LIB = -O1 -Mfixed
FREE_LIB  = $(FREE)

OBJECTS_LIB= linpack_double.o getshmem.o

#For the parser library
CXX_PARS  = nvc++ --no_warnings

#Normally no need to change this
SRCDIR    = .././src
BINDIR    = .././bin

```

```

[]

```

```

module load ips/2019u5 #[] fftw[]
export NVARCH=`uname -s`_`uname -m`;
export NVCOMPILERS=/usr/software/nv-hpcsdk
export PATH=$NVCOMPILERS/$NVARCH/20.9/compilers/bin:$PATH

```

```
export MANPATH=$MANPATH:$NVCOMPILERS/$NVARCH/20.9/compilers/man
export LD_LIBRARY_PATH=$NVCOMPILERS/$NVARCH/20.9/compilers/lib:$LD_LIBRARY_PATH
export PATH=$NVCOMPILERS/$NVARCH/20.9/comm_libs/mpi/bin/:$PATH
```

```
/usr/software/nv-hpcsdk nv-hpc-sdk
```

```
make std gam ncl
```

```
openacc
GPU
make gpu
vasp_std
```



```
1. nccl openacc gpu .
```

```
2.INCAR NCORE openacc 1.
```














```
3.INCAR NSIM KPAR
GPU NSIM cpu KPAR
.
```

```
GPU
```

```
VASP_
```

Quantum Espresso

Apptainer

  qe7.1     FeO_test.in   1  GPU   723090ib   pw.x

```
#BSUB -J FeO_test
#BSUB -q 723090ib
#BSUB -gpu num=1

export OMP_NUM_THREADS="$LSB_DJOB_NUMPROC"
QE="apptainer run --nv /fs00/software/singularity-images/ngc_quantum_espresso_qe-7.1.sif"
${QE} pw.x < FeO_test.in > FeO_test.out
```

NAMD

NAMD 2.12 (2016-12-22)

- /fs00/software/namd/2.12

■■■■■■■■■■

in.conf■■■

48■■■■■

e5v3ib■■

```
#BSUB -n 48
```

```
#BSUB -q e5v3ib
```

```
input=in.conf
```

```
#bindir=/fs00/software/namd/2.12/verbs/
```

```
bindir=/fs00/software/namd/2.12/ibverbs/
```

```
nodefile=nodelist
```

```
echo "group main" > $nodefile
```

```
for i in `echo $LSB_HOSTS`
```

```
do
```

```
  echo "host $i" >> $nodefile
```

```
done
```

```
${bindir}charmrun ++remote-shell ssh ++nodelist $nodefile +p$LSB_DJOB_NUMPROC ${bindir}namd2 $input
```

OOMMF

The Object Oriented MicroMagnetic Framework (OOMMF) 1.2 alpha 6

- /fs00/software/oommf/12a6-tcl8.6.4-ips2016u2 □□ tcl/8.6.4-ips2016u2□ ips/2016u2
- /fs00/software/oommf/12a6-tcl8.6.4-ips2016u2-avx2 □□ tcl/8.6.4-ips2016u2-avx2□ ips/2016u2

□□□□□□□□□□

sample.mif□□□

72□□□□

6140ib□□

```
#BSUB -q 6140ib
#BSUB -n 72

module load ips/2016u2
module load tcl/8.6.4-ips2016u2-avx2

oommfin=sample.mif

oommfrun=/fs00/software/oommf/12a6-tcl8.6.4-ips2016u2-avx2/oommf.tcl

OOMMF_HOSTPORT=`tclsh $oommfrun launchhost 0`
export OOMMF_HOSTPORT
tclsh $oommfrun mmArchive
tclsh $oommfrun boxsi -numanodes auto -threads $LSB_DJOB_NUMPROC $oommfin
tclsh $oommfrun killoommf all
```

Mumax3

mumax 3.10

- /fs00/software/mumax/3.10-cuda11.0/

sample.mx3 1 GPU 723090ib

```
#BSUB -q 723090ib
#BSUB -gpu num=1

mx3in=sample.mx3

module load cuda/11.2.0

/fs00/software/mumax/3.10-cuda11.0/mumax3 $mx3in
```




License

AWS CLI v2

Name	Path	Module
AWS CLI current	/fs00/software/aws-cli/v2/current	aws-cli/current
AWS CLI 2.9.6	/fs00/software/aws-cli/v2/2.9.6	aws-cli/2.9.6

bbcp

Name	Path	Module
bbcp 14.04.14.00.1	/fs00/software/bbcp/14.04.14.00.1	bbcp/14.04.14.00.1

Boost

Name	Path	Module
Boost 1.72.0	/fs00/software/boost/1.72.0	boost/1.72.0
Boost 1.58.0	/fs00/software/boost/1.58.0	boost/1.58.0

CMake

Name	Path	Module
CMake 3.23.2	/fs00/software/cmake/3.23.2/	cmake/3.23.2
CMake 3.16.3	/fs00/software/cmake/3.16.3/	cmake/3.16.3
CMake 3.11.4	/fs00/software/cmake/3.11.4/	cmake/3.11.4

Git

Name	Path	Module
------	------	--------

Git 2.38.1	/fs00/software/git/2.38.1	git/2.38.1
------------	---------------------------	------------

Grace

Name	Path	Module
Grace 5.1.25	/fs00/software/grace/5.1.25	grace/5.1.25

HDF5

Name	Path	Module
HDF5 1.10.5	/fs00/software/hdf5/1.10.5	hdf5/1.10.5

libpng

Name	Path	Module
libpng 1.5.26	/fs00/software/libpng/1.5.26	libpng/1.5.26

jq

Name	Path	Module
jq 1.7	/fs00/software/jq/1.7	jq/1.7

Libxc

Name	Compiler	Path	Module
Libxc 5.2.2	GNU Compiler Collection (GCC) 11.2.0	/fs00/software/libxc/5.2.2	libxc/5.2.2

libzip

Name	Path	Module
libzip 1.6.1	/fs00/software/libzip/1.6.1	libzip/1.6.1

NetCDF-C

Name	Path	Module
NetCDF-C 4.7.0	/fs00/software/netcdf/c-4.7.0	netcdf/c-4.7.0

PCRE

Name	Path	Module
PCRE 8.39	/fs00/software/pcre/8.39	pcre/8.39

Qt

Name	Path	Module
Qt 5.11.1	/fs00/software/qt/5.11.1	qt/5.11.1

rclone

Name	Path	Module
rclone latest	/fs00/software/rclone/latest	rclone/latest
rclone 1.66.0	/fs00/software/rclone/1.66.0	rclone/1.66.0

Spglib (OpenMP)

Name	Compiler	Path	Module
Spglib 1.9.9		/fs00/software/spglib/1.9.9	spglib/1.9.9
Spglib 1.9.0	GNU Compiler Collection (GCC) 5.2.0	/fs00/software/spglib/1.9.0-gcc5.2.0	spglib/1.9.0-gcc5.2.0

tmux

Name	Path	Module
tmux 3.3a	/fs00/software/tmux/3.3a	tmux/3.3a

zlib

Name	Path	Module
zlib 1.2.11	/fs00/software/zlib/1.2.11	zlib/1.2.11

Singularity Image

/fs00/software/singularity-images/



gnuplot

gnuplot

Name	Path	Module
gnuplot 5.2.7	/fs00/software/gnuplot/5.2.7	gnuplot/5.2.7
gnuplot 5.2.2	/fs00/software/gnuplot/5.2.2	gnuplot/5.2.2
gnuplot 5.0.6	/fs00/software/gnuplot/5.0.6	gnuplot/5.0.6
gnuplot 5.0.1	/fs00/software/gnuplot/5.0.1	gnuplot/5.0.1

OVITO

OVITO

Name	Path	Module
OVITO 3.7.12	/fs00/software/ovito/3.7.12	ovito/3.7.12
OVITO 2.9.0	/fs00/software/ovito/2.9.0	ovito/2.9.0

Vim

Vim

Name	Path	Module
Vim 9.0.1677	/fs00/software/vim/9.0.1677	vim/9.0.1677
Vim 8.2.0488	/fs00/software/vim/8.2.0488	vim/8.2.0488
Vim 8.1	/fs00/software/vim/8.1	vim/8.1

Zsh

Name	Path	Module
Zsh latest	/fs00/software/zsh/latest	zsh/latest
Zsh 5.8	/fs00/software/zsh/5.8	zsh/5.8

Environment Modules

Environment Modules ▮ Zsh

```
echo "source /fs00/software/modules/latest/init/profile.sh" >> ~/.zshrc
```

--	--	--	--	--	--

- \$ Bash Shell

```
module load zsh/latest && exec zsh
```

- Zsh PS1\$ Shell Zsh Zsh

Oh My Zsh

--	--

```
git clone https://mirror.nju.edu.cn/git/ohmyzsh.git
cd ohmyzsh/tools
REMOTE=https://mirror.nju.edu.cn/git/ohmyzsh.git sh install.sh
```

Oh My Zsh

```
git -C $ZSH remote set-url origin https://mirror.nju.edu.cn/git/ohmyzsh.git
git -C $ZSH pull
```


omz update

--	--

Powerlevel10k

--	--

```
git clone --depth=1 https://mirror.nju.edu.cn/git/powerlevel10k.git ${ZSH_CUSTOM:-$HOME/.oh-my-zsh/custom}/themes/powerlevel10k
```

```
~/.zshrc ZSH_THEME="powerlevel10k/powerlevel10k"
```

--	--

```
cd ${ZSH_CUSTOM:-$HOME/.oh-my-zsh/custom}/themes/powerlevel10k && git pull
```

256

```

xterm 256

```

```
echo "export TERM=xterm-256color" >> ~/.zshrc
```



































1. `POWERLEVEL9K_RIGHT_PROMPT_ELEMENTS` `context`
`POWERLEVEL9K_LEFT_PROMPT_ELEMENTS`
2. `typeset -g`
`POWERLEVEL9K_CONTEXT_{DEFAULT,SUDO}_{CONTENT,VISUAL_IDENTIFIER}_EXPANSION=`
3. `typeset -g POWERLEVEL9K_CONTEXT_PREFIX=` `"`

--	--

zsh-autosuggestions



```
git clone https://mirror.nju.edu.cn/git/zsh-autosuggestions ${ZSH_CUSTOM:-~/.oh-my-zsh/custom}/plugins/zsh-autosuggestions
```



```
~/.zshrc
```



```
plugins=
```



```
zsh-syntax-highlighting
```

```
plugins=( ... zsh-autosuggestions)
```



```
cd ${ZSH_CUSTOM:-~/.oh-my-zsh/custom}/plugins/zsh-autosuggestions && git pull
```

zsh-syntax-highlighting



```
git clone https://mirror.nju.edu.cn/git/zsh-syntax-highlighting.git ${ZSH_CUSTOM:-~/.oh-my-zsh/custom}/plugins/zsh-syntax-highlighting
```



```
~/.zshrc
```



```
plugins=
```



```
zsh-syntax-highlighting
```

```
plugins=( [plugins...] zsh-syntax-highlighting)
```



```
cd ${ZSH_CUSTOM:-~/.oh-my-zsh/custom}/plugins/zsh-syntax-highlighting && git pull
```

AlphaFold 2

/fs00/software/alphafold/2.3.2/AlphaFold-v2.3.2.sif

```
#BSUB -J alphafold
#BSUB -q gpu
#BSUB -n 16
#BSUB -gpu num=1

export OMP_NUM_THREADS="$LSB_DJOB_NUMPROC"
export MKL_NUM_THREADS="$LSB_DJOB_NUMPROC"

ALPHAFOLD_DATADIR=/fsb/data/alphafold/2
ALPHAFOLD_IMAGE=AlphaFold-v2.3.2.sif

ALPHAFOLD_APP=/app/alphafold

RUN_ALPHAFOLD="apptainer run --bind ${ALPHAFOLD_DATADIR}:${ALPHAFOLD_APP}/download \
    --nv ${ALPHAFOLD_IMAGE}"

${RUN_ALPHAFOLD} python ${ALPHAFOLD_APP}/run_alphafold.py --use_gpu_relax \
    --data_dir=${ALPHAFOLD_APP}/download \
    --uniref90_database_path=${ALPHAFOLD_APP}/download/uniref90/uniref90.fasta \
    --mgnify_database_path=${ALPHAFOLD_APP}/download/mgnify/mgy_clusters_2022_05.fa \
    --
bfd_database_path=${ALPHAFOLD_APP}/download/bfd/bfd_metaclust_clu_complete_id30_c90_final_seq.sorted_o
pt \
    --pdb70_database_path=${ALPHAFOLD_APP}/download/pdb70/pdb70 \
    --uniref30_database_path=${ALPHAFOLD_APP}/download/uniref30/UniRef30_2021_03 \
    --template_mmcif_dir=${ALPHAFOLD_APP}/download/pdb_mmcif/mmcif_files \
    --obsolete_pdbs_path=${ALPHAFOLD_APP}/download/pdb_mmcif/obsolete.dat \
    --model_preset=monomer \
    --max_template_date=2022-10-1 \
    --db_preset=full_dbs \
    --output_dir=output \
    --fasta_paths=input/input.fasta
```


AlphaFold 3

```
/fs00/software/alphafold/3.0.0/AlphaFold-v3.0.0.sif
```

0.

--	--	--	--

alphafold3 Google DeepMind json

- data pipeline:

```
graph LR; Input[ ] --> MSAlign[multi-sequence alignment, msa]; MSAlign --> Templates[ ]; Templates --> JSON[json]; JSON --> Inference[inference]; Inference --> ConfScore[confidence score];
```
- inference:

github aptainer alphafold3

Google DeepMind

term of use

1.

--	--	--	--

```
path_to_af3db="/fsb/data/alphafold/3"
path_to_af3container="/fs00/software/alphafold/3.0.0/AlphaFold-v3.0.0.sif "

io_dir=</path/to/your/input/and/output>
weights_dir=<path/to/directory/containing/your/af3-weights>

RUN_ALPHAFOLD="apptainer run --nv --bind
${path_to_af3db}:/databases,${io_dir}:/host_iopath,${weights_dir}:/af3_weights ${path_to_af3container}
python run_alphafold.py"
```

[illegible]

$$\left(\begin{array}{c} \square \\ \square \\ \square \\ \square \\ \square \end{array} \right) \quad \left(\begin{array}{c} \square \\ \square \\ \square \\ \square \\ \square \end{array} \right)$$

```

${RUN_ALPHAFAOLD} --help

```

```

input.json  ${io_dir}  alphafold3

```

```

${RUN_ALPHAFAOLD} --db_dir=/databases/ --model_dir=af3_weights/ \
--json_path=/host_iopath/input.json --output_dir=/host_iopath/

```

```

input.json  name  ${io_dir}  data pipeline  json
confidence score  log  stderr  (
python logging  )  input documentation  output
documentation

```

2. data pipeline inference

```

data pipeline inference  data pipeline  cpu
gpu  gpu
cpu  data pipeline  (  json)  gpu

```

```

bool  --run_data_pipeline  --run_inference
True.

```

:

- data pipeline (cpu job)

```

${RUN_ALPHAFAOLD} --db_dir=/databases/ --model_dir=af3_weights/ \
--json_path=/host_iopath/input.json --output_dir=/host_iopath/ \
--run_inference=False

```

- inference (gpu job)

```

${RUN_ALPHAFAOLD} --db_dir=/databases/ --model_dir=af3_weights/ \
--json_path=/host_iopath/input.json --output_dir=/host_iopath/ \
--run_data_pipeline=False

```

```

msa  templates
alphafold3  msa  templates  json  --run_data_pipeline=False
msa  templates  json  DeepMind-input
documentation  msa  templates  json  msa  templates  json
Mb

```

3.

```
run_alphafold.py --input_dir input_dir --json_path input_dir --jackhmmer_n_cpu 3 --nhmmer_n_cpu 3 --random_seed random_seed --input.json input.json
```

- --input_dir input_dir --json_path input_dir --jackhmmer_n_cpu 3 --nhmmer_n_cpu 3 --random_seed random_seed --input.json input.json

4. Performance

data pipeline inference gpu

- 2PV7 homomer 298
- 1AKE homomer 214

83a100ib 734090d A100 (memory 40 G) 4090d (memory 24 G) inference. 722080tiib 72rtxib GPU performance documentation alphafold3 A100(80G), A100(40 G) H100 4090

data pipeline inference

- 8 cpu cores 300 msa templates 1.5-2 h msa templates 10 s
- alphafold3 5 100 s inference

performance performance documentation

5. Results

2PV7 RMSD=4.410 (: Angstrom) A:B - A:B RMSD 4 RMSD 3.012, 2.759, 2.971, 2.740. alphafold3 alphafold2. 2 subunits DockQ 0.499>0.23 docking

1AKE 1AKE RMSD=18.176 4AKE RMSD=26.791 alphafold2-multimer subunits DockQ=0.019<<0.23 Alphafold3 4090d A100

“ dockQ (Mirabello & Wallner, 2024, Bioinformatics) subunits

0-1 <0.23 >0.8

RoseTTAFold

```
/fs00/software/rosettafold/1.1.0
```

```

apptainer bind home RoseTTAFold folding conda
--no-home

```

```
#BSUB -J RoseTTAFold
#BSUB -q gpu
#BSUB -n 8
#BSUB -gpu num=1

##### Configurie Numpy threads #####

export OMP_NUM_THREADS="$LSB_DJOB_NUMPROC"
export MKL_NUM_THREADS="$LSB_DJOB_NUMPROC"

##### Definition #####

ROSETTAFOLD_DATADIR=/fsb/data/rosettafold      # path to RoseTTAFold data (host)
ROSETTAFOLD_IMAGE=RoseTTAFold-1.1.0.sif        # path to RoseTTAFold image (host)
ROSETTAFOLD_APPDIR=/app/RoseTTAFold            # path to RoseTTAFold working directory (container)

##### Database #####

UNIREF30_DB=$ROSETTAFOLD_DATADIR/UniRef30_2020_06
BFD_DB=$ROSETTAFOLD_DATADIR/bfd
PDB100_DB=$ROSETTAFOLD_DATADIR/pdb100_2021Mar03

##### Example #####

RUN_ROSETTAFOLD="apptainer run --bind $UNIREF30_DB:$ROSETTAFOLD_APPDIR/UniRef30_2020_06 \
--bind $BFD_DB:$ROSETTAFOLD_APPDIR/bfd \
--bind $PDB100_DB:$ROSETTAFOLD_APPDIR/pdb100_2021Mar03 \
--nv $ROSETTAFOLD_IMAGE"

# For monomer structure prediction (e2e)

${RUN_ROSETTAFOLD} $ROSETTAFOLD_APPDIR/run_e2e_ver.sh $ROSETTAFOLD_APPDIR/example/input.fasta
```

output/

For monomer structure prediction (pyrosetta)

```
${RUN_ROSETTAFOLD} $ROSETTAFOLD_APPDIR/run_pyrosetta_ver.sh $ROSETTAFOLD_APPDIR/example/input.fasta  
output/
```

For complex modeling

```
${RUN_ROSETTAFOLD} python $ROSETTAFOLD_APPDIR/network/predict_complex.py \  
-i $ROSETTAFOLD_APPDIR/example/complex_modeling/paired.a3m \  
-o output/ -Ls 218 310
```

For PPI screening using faster 2-track version (example input and output are at example/complex_2track)

```
${RUN_ROSETTAFOLD} python $ROSETTAFOLD_APPDIR/network_2track/predict_msa.py \  
-msa $ROSETTAFOLD_APPDIR/example/complex_2track/input.a3m \  
-npz output/complex.npz -L1 218
```

ParallelFold 2

/fs00/software/parallelfold/2.0-2.3.1/ParallelFold-v2.0-with-AlphaFold-v2.3.1.sif

```
#BSUB -J parafold
#BSUB -q gpu
#BSUB -n 16
#BSUB -gpu num=1

export OMP_NUM_THREADS="$LSB_DJOB_NUMPROC"
export MKL_NUM_THREADS="$LSB_DJOB_NUMPROC"

ALPHAFOLD_DATADIR=/fsb/data/alphafold/2
PARAFOLD_IMAGE=ParallelFold-v2.0-with-AlphaFold-v2.3.1.sif

PARAFOLD_APP=/app/ParallelFold

RUN_PARAFOLD="apptainer run --bind ${ALPHAFOLD_DATADIR}:${PARAFOLD_APP}/download \
    --nv ${PARAFOLD_IMAGE}"

${RUN_PARAFOLD} python ${PARAFOLD_APP}/run_alphafold.py --use_gpu_relax \
    --parameter_path=${PARAFOLD_APP}/download/params \
    --uniref90_database_path=${PARAFOLD_APP}/download/uniref90/uniref90.fasta \
    --mgnify_database_path=${PARAFOLD_APP}/download/mgnify/mgy_clusters_2022_05.fa \
    --
bfd_database_path=${PARAFOLD_APP}/download/bfd/bfd_metaclust_clu_complete_id30_c90_final_seq.sorted_op
t \
    --pdb70_database_path=${PARAFOLD_APP}/download/pdb70/pdb70 \
    --uniref30_database_path=${PARAFOLD_APP}/download/uniref30/UniRef30_2021_03 \
    --template_mmcif_dir=${PARAFOLD_APP}/download/pdb_mmcif/mmcif_files \
    --obsolete_pdbs_path=${PARAFOLD_APP}/download/pdb_mmcif/obsolete.dat \
    --model_preset=monomer \
    --max_template_date=2022-10-1 \
    --db_preset=full_dbs \
    --output_dir=output \
    --fasta_paths=${PARAFOLD_APP}/input/input.fasta
```